







Maximum permitted load per column and side excluded load on the feet: 1260 kg
 Maximum arm load evenly distributed: 255 kg
 Maximum load on arm level evenly distributed: 783 kg



DRAWING NUMBER

REVISION

DRAWING BY


DATE

13/3/2026

Product card

Cantilever racking

Productnumber 1KU31031512



DRAWING NUMBER

REVISION

DRAWING BY

DATE

13/3/2026

Product card

Cantilever racking

Productnumber 1KU31031512

Options	Product Series	Part Number	Description	Quantity	EAB Weight
EAB					
Light Cantilever					
-					
		182600001	Asphalt glue HäftprimerEP 1 kg	1	1.2 kg
		187540885	Screw anchor HUS4 T-H 8x85	15	0.05 kg
		550000100	Assembly instr Cantilever light (sv)	1	
		550000200	Label Cantilever rack sv	1	
		550113000	Column 220x2,4 L=3000 mm	3	36 kg
		550311260	Singlesided foot, arm 1000 mm	3	15.59 kg
		550831000	Arm 1000 mm H=100/300 kg	12	5.31 kg
		551733015	Section without brace c/c 1500	1	7.81 kg
		551833015	Section with brace h3000,c/c 1500	1	13.84 kg
		569652643	Shim plate Cantilever rack 264*264*3	9	1.67 kg
Total -					<u>257.09 kg</u>
Total Light Cantilever					<u>257.09 kg</u>
Total EAB					<u>257.09 kg</u>