

Maximum permitted load per column and side excluded load on the feet: 1430 kg  
 Maximum arm load evenly distributed: 450 kg  
 Maximum load on armlevel evenly distributed: 1040 kg



Product card  
 Cantilever racking  
 Productnumber 1KU40641520


DRAWING NUMBER

REVISION

DRAWING BY

DATE

18/3/2026



Product card  
Cantilever racking  
Productnumber 1KU40641520

DRAWING NUMBER

REVISION

DRAWING BY

DATE  
18/3/2026

Options	Product Series	Part Number	Description	Quantity	EAB Weight
<b>EAB</b>					
<b>Light Cantilever</b>					
-		182600001	Asphalt glue HäftprimerEP 1 kg	1	1.2 kg
		187540885	Screw anchor HUS4 T-H 8x85	20	0.05 kg
		550000100	Assembly instr Cantilever light (sv)	1	
		550000200	Label Cantilever rack sv	1	
		550114000	Column 220*2,4 L=4000 mm	4	47.4 kg
		550310860	Singlesided foot, arm 600 mm	4	10.96 kg
		550830600	Arm 600 mm H=100/500 kg	20	3.41 kg
		551734015	Section without brace c/c 1500	1	11.71 kg
		551834015	Section with brace h4000,c/c 1500	2	22.32 kg
		569652643	Shim plate Cantilever rack 264*264*3	12	1.67 kg
<b>Total -</b>					<b><u>380.21 kg</u></b>
<b>Total Light Cantilever</b>					<b><u>380.21 kg</u></b>
<b>Total EAB</b>					<b><u>380.21 kg</u></b>