

Maximum permitted load per column and side excluded load on the feet: 970 kg  
 Maximum arm load evenly distributed: 270 kg  
 Maximum load on arm level evenly distributed: 705 kg




Product card  
 Cantilever racking  
 Productnumber 1KU41041520

DRAWING NUMBER

REVISION

DRAWING BY

DATE  
 19/3/2026



DRAWING NUMBER

REVISION

DRAWING BY

DATE

19/3/2026

Product card

Cantilever racking

Productnumber 1KU41041520

Options	Product Series	Part Number	Description	Quantity	EAB Weight
<b>EAB</b>					
<b>Light Cantilever</b>					
-		182600001	Asphalt glue HäftprimerEP 1 kg	1	1.2 kg
		187540885	Screw anchor HUS4 T-H 8x85	20	0.05 kg
		550000100	Assembly instr Cantilever light (sv)	1	
		550000200	Label Cantilever rack sv	1	
		550114000	Column 220*2,4 L=4000 mm	4	47.4 kg
		550311260	Singlesided foot, arm 1000 mm	4	15.59 kg
		550831000	Arm 1000 mm H=100/300 kg	20	5.31 kg
		551734015	Section without brace c/c 1500	1	11.71 kg
		551834015	Section with brace h4000,c/c 1500	2	22.32 kg
		569652643	Shim plate Cantilever rack 264*264*3	12	1.67 kg
<b>Total -</b>					<b>436.7 kg</b>
<b>Total Light Cantilever</b>					<b>436.7 kg</b>
<b>Total EAB</b>					<b>436.7 kg</b>